



# 2020 PASSENGER CAR TIRES

 **CONSTANCY**  
NEW ROADS AHEAD **Tire**

# UHP



Ultra High performance

## LY566

- Provide excellent drainage performance.
- Improve handling performance.
- Avoid nonuniformity caused by regular asymmetric tread pattern, and provide a safe control performance.
- Ensure stability of vehicle when cornering or changing lanes, and provide a precise driving for driver.
- Reduce tire noise, and provide excellent grip on wet road conditions.
- Provide driving stability at high speed.

Size	LI	SS	TD(mm)	Standard Rim
195/45R16	84XL	W	8.0	6 1/2J
195/45R16	84XL	W	8.0	6 1/2J
205/45R16	87XL	W	8.0	7J
195/50R16	84	V	8.0	6J
205/50R16	91XL	W	8.0	6 1/2J
205/50R16	87	W	8.0	6 1/2J
205/55R16	91	W	8.0	6 1/2J
205/55R16	94XL	W	8.0	6 1/2J
215/55R16	93	W	8.0	7J
215/55R16	97XL	W	8.0	7J
225/55R16	99XL	W	8.0	7J
195/40R17	81	W	6.5	7J
195/40R17	81XL	V	6.5	7J
205/40R17	84XL	W	8.0	7 1/2J
215/40R17	83	W	8.0	7 1/2J
205/45R17	84	W	8.0	7J
205/45R17	88XL	W	8.0	7J
215/45R17	91XL	W	8.0	7J
225/45R17	94XL	W	8.0	7 1/2J
235/45R17	97XL	W	8.0	8J
205/50R17	93XL	W	8.0	6 1/2J
215/50R17	95XL	W	8.0	7J
225/50R17	94	W	8.0	7J
225/50R17	98XL	W	8.0	7J
215/55R17	94	W	8.0	7J
225/55R17	97	V	8.0	7J
225/55R17	101	W	8.0	7J
235/55R17	99	V	8.0	7 1/2J
235/55R17	103	W	8.0	7 1/2J
215/35R18	84XL	W	8.0	7 1/2J
255/35R18	94	W	8.0	9J
265/35R18	97XL	W	8.0	9 1/2J
215/40R18	89XL	W	8.0	7 1/2J
225/40R18	92XL	W	8.0	8J
235/40R18	95XL	W	8.0	8 1/2J
245/40R18	97XL	W	8.0	8 1/2J
215/45R18	93XL	W	8.0	7J
225/45R18	95XL	W	8.0	7 1/2J
235/45R18	98	W	8.0	8J
245/45R18	100XL	W	8.0	8J
235/50R18	97	V	8.0	7 1/2J
255/55R18	105	V	8.0	8J
225/35R19	84	W	8.0	8J
235/35R19	91XL	W	8.0	8 1/2J
245/35R19	93XL	W	8.0	8 1/2J
255/35R19	96XL	W	8.0	9J
235/45R19	95	W	8.0	8J
245/45R19	98	W	8.0	8J
255/45R19	100	W	8.0	8 1/2J
255/50R19	103	V	8.0	8J
225/35R20	90XL	W	8.0	8J
235/35R20	92XL	W	8.0	8 1/2J
245/35R20	95XL	W	8.0	8 1/2J
255/35R20	97XL	W	8.0	9J

## LY566

- Provide excellent drainage performance.
- Improve handling performance.
- Avoid nonuniformity caused by regular asymmetric tread pattern, and provide a safe control performance.
- Ensure stability of vehicle when cornering or changing lanes, and provide a precise driving for driver.
- Reduce tire noise, and provide excellent grip on wet road conditions.
- Provide driving stability at high speed.

Size	LI	SS	TD(mm)	Standard Rim
235/50R17	100XL	W	8.0	7 1/2J
245/40R17	95XL	W	8.0	8 1/2J
245/45R17	99XL	W	8.0	8J
215/55R18	99	W	8.0	7J
225/55R18	102XL	W	8.0	7J
235/55R18	100	V	8.0	7 1/2J
255/45R18	99	W	8.0	8 1/2J
235/45R18	98XL	W	8.0	8J
255/35ZR18	94	W	8.0	9J
265/35ZR18	97	W	8.0	9 1/2J
285/35ZR18	101XL	W	8.0	10J
225/55R19	99	V	8.0	7J
235/55R19	105XL	W	8.0	7 1/2J
265/30ZR19	93XL	W	8.0	9 1/2J
275/30ZR19	96XL	W	8.0	9 1/2J
225/30ZR20	85XL	W	8.0	8J
285/30ZR20	99XL	W	8.0	10J
275/30R20	97XL	W	8.0	9 1/2J
245/40ZR20	99XL	W	8.0	8 1/2J
275/35ZR20	102XL	W	8.0	9 1/2J
225/30ZR22	85XL	W	8.0	8J
235/30R22	90XL	W	8.0	8 1/2J
245/30R22	92XL	W	8.0	8 1/2J
255/30R22	95XL	W	8.0	9J
265/30ZR22	97XL	V	8.0	9 1/2J
285/25ZR22	97XL	V	8.0	10 1/2J
255/30ZR24	97XL	W	8.0	9J

## LY266

- Provide excellent drainage performance.
- Improve handling performance and show sport performance.
- Avoid nonuniformity caused by regular asymmetric tread pattern, and provide a safe control performance.
- Reduce the inside rigidity, lower the noise caused by tread blocks' pressing, and improve the handling performance on wet road conditions.
- Effectively eliminate the bump noise, improve the rigidity between tread blocks, and possess a good stone removing effect.

Size	LI	SS	TD(mm)	Standard Rim
195/55R15	85	V	8.0	6J
205/50ZR16	91XL	W	8.0	6 1/2J
205/55ZR16	91	W	8.2	6 1/2J
215/55ZR16	97XL	W	8.0	7J
225/55ZR16	99XL	W	8.0	7J



# HP

High performance

## LY166

- Remain rigidity of the tread while improving drainage performance, reducing tire noise and ensuring the uniformity of the tire.
- Effectively eliminate the bump noise, improve the rigidity between tread blocks, and possess a good stone removing and self-cleaning effect.
- Effectively reduce the noise between new tire and the whole car during run-in period, and improve handling and safety performance.

Size	LI	SS	TD(mm)	Standard Rim
145/70R12	69	T	6.5	4.50B
175/60R13	77	T	7.5	5J
155/65R13	73	T	7.5	4.50B
165/65R13	77	T	7.5	5.00B
165/65R13	77	H	7.5	5.00B
175/65R13	80	T	7.5	5J
155/70R13	75	T	7.5	4.50B
165/70R13	79	T	7.5	5.00B
165/70R13	79	H	7.5	5.00B
175/70R13	82	T	7.5	5.00B
185/70R13	86	T	8.0	5.50B
155/80R13	79	T	7.5	4.50B
165/80R13	83	T	7.5	4.50B
165/60R14	75	H	7.5	5J
175/60R14	79	H	/	/
185/60R14	82	H	7.5	5 1/2J
195/60R14	86	T	8.0	6J
205/60R14	88	T	7.5	6J
155/65R14	75	T	7.5	4 1/2J
165/65R14	79	T	7.5	5J
175/65R14	82	T	8.0	5J
185/65R14	86	T	7.5	5 1/2J
165/70R14	81	S	7.5	5J
165/70R14	81	T	7.5	5J
165/70R14	81	H	7.5	5J
175/70R14	84	T	8.0	5J
175/70R14	88XL	T	8.0	5J
185/70R14	88	T	8.0	5 1/2J
195/70R14	91	T	8.0	6J
205/70R14	98XL	T	8.0	6J
205/70R15	96	T	8.0	6J
205/70R15	100XL	H	8.0	6J

## LY688

- Deliver a smooth and comfortable driving, excellent high speed performance, and reduce tire noise.
- Improve handling performance.
- Improve drainage performance on wet road conditions.
- Enhance safety performance and reduce noise from normal ventilation holes.

Size	LI	SS	TD(mm)	Standard Rim
185/55R14	80	H	8.0	6J
185/60R14	82	H	7.5	5 1/2J
195/65R14	86	H	7.5	5 1/2J
175/65R14	82	H	8.0	5J
195/50R15	82	H	8.0	6J
195/50R15	82	V	8.0	6J
185/55R15	82	V	8.0	6J
195/55R15	85	V	8.0	6J
175/60R15	81	H	7.5	5J
185/60R15	84	H	8.0	5 1/2J
185/60R15	88XL	H	8.0	5 1/2J
195/60R15	88	V	8.0	6J
195/60R15	88	H	8.0	6J
205/60R15	91	H	8.0	6J
205/60R15	91	V	8.0	6J
175/65R15	84	H	7.5	5J
185/65R15	88	H	8.0	5 1/2J
195/65R15	91	V	7.5	6J
195/65R15	91	H	7.5	6J
195/65R15	95XL	H	7.5	6J
205/65R15	94	V	8.0	6J
205/65R15	94	H	8.0	6J
215/65R15	96	V	8.0	6 1/2J
215/65R15	100XL	H	8.0	6 1/2J
215/70R15	98	T	8.2	6 1/2J
235/70R15	103	T	8.5	7J
185/50R16	81	V	7.5	6J
185/55R16	83	V	8.0	6J
195/55R16	87	V	8.0	6J
195/55R16	91XL	W	8.0	6J
205/55R16	91	V	8.0	6 1/2J
195/60R16	89	H	8.0	6J
205/60R16	92	V	8.0	6J
205/60R16	92	H	8.0	6J
215/60R16	95	V	8.0	6 1/2J
215/60R16	99XL	V	8.0	6 1/2J
215/60R16	95	H	8.0	6 1/2J
215/60R16	99XL	H	8.0	6 1/2J
225/60R16	98	V	8.0	6 1/2J
235/60R16	100	H	8.5	7J
205/65R16	95	T	8.0	6J
215/65R16	98	H	8.0	6 1/2J
225/65R16	100	T	8.0	6 1/2J
235/65R16	103	T	8.5	7J
215/55R17	94	V	8.0	7J
215/60R17	96	T	8.0	6 1/2J
225/60R17	99	T	8.0	6 1/2J
215/65R17	99	T	8.0	6 1/2J
225/65R17	102	T	8.0	6 1/2J
225/65R17	102	H	8.0	6 1/2J
235/65R17	104	H	8.0	7J



# ST SERIAL

## LY188

- Greatly improve the load capacity of the tire and deliver a longer life at high load conditions.
- Enlarge the contact area between tire and road surface, deliver a smooth driving, even wear, and a long durability.
- Improve drainage performance.

Size	LI	SS	TD(mm)	Standard Rim
ST145R12	87	L	6.5	4.50B
ST145R12	95	L	6.5	4.50B
ST175/80R13	91/87	L	7.5	5.00B
ST185/80R13	99/95	L	7.0	5.00B
ST205/75R14	100/96	L	7.5	5 1/2J
ST205/75R14	105/101	L	7.5	5 1/2J
ST215/75R14	102/98	L	7.5	6J
ST205/75R15	101/97	L	7.5	5 1/2J
ST205/75R15	107/102	L	7.5	5 1/2J
ST225/75R15	113/108	L	8.0	6J
ST225/75R15	117/112	L	8.0	6J
ST225/75R15	107/102	L	8.0	6J
ST235/80R16	124/120	L	8.0	6 1/2J
ST235/85R16	125/121	L	8.0	6 1/2J
ST235/85R16	128/124	L	8.0	6 1/2J



# WINTER TIRE



## LY966

- Provide more space for melting snow, and improve better grip performance.
- Can better contact with ice-snow roads, avoid slippage, and provide better steering and driving performance.
- Provide more contact area with road surface, and help to eliminate snow.

Size	LI	SS	TD(mm)	Standard Rim
155/65R13	73	T	8.4	4.50B
165/70R13	79	T	9.0	5.00B
175/70R13	82	T	9.0	5.00B
155/80R13	79	T	9.0	4.50B
165/60R14	75	T	9.0	5J
185/60R14	82	T	9.0	5 1/2J
175/65R14	82	T	9.0	5J
185/65R14	86	T	9.0	5 1/2J
175/70R14	84	T	8.0	5J
185/70R14	88	T	9.0	5 1/2J
195/70R14	91	T	8.8	6J
195/50R15	82	H	9.0	6J
185/55R15	82	H	9.0	6J
195/55R15	85	H	9.0	6J
185/60R15	84	T	9.0	5 1/2J
195/60R15	88	H	8.0	6J
185/65R15	88	T	9.0	5 1/2J
195/65R15	91	H	8.8	6J
205/65R15	94	T	9.5	6J
205/55R16	91	H	7.5	6 1/2J
225/55R16	95	H	9.5	7J
205/60R16	92	T	9.5	6J
215/60R16	95	T	9.5	6 1/2J
225/60R16	98	T	9.5	6 1/2J
215/65R16	98	T	9.5	6 1/2J
235/70R16	106	T	9.5	7J
225/45R17	94	H	9.5	7 1/2J
225/65R17	102	T	9.5	6 1/2J



## LY968

- Longitudinal zigzag tread grooves design.
- Steel hook shaped tread blocks and 3D high density zigzag steel sheets design.
- Central lightning ribs design.
- Special winter tire tread compound design.

Size	LI	SS	TD(mm)	Standard Rim
165/70R13	79	S	9.0	5.00B
175/70R14	84	S	9.0	5J
185/60R14	82	S	9.0	5 1/2J
195/60R14	86	S	9.0	6J
185/65R15	88	S	9.0	5 1/2J
195/60R15	88	S	9.0	6J
195/65R15	91	S	9.0	6J
205/55R16	91	S	9.0	6 1/2J
205/60R16	92	S	9.0	6J
215/55R16	93	S	9.0	7J
215/60R16	95	S	9.0	6 1/2J
215/55R17	84	S	9.0	7J
225/50R17	94	S	9.0	7J
225/55R17	97	S	9.0	7J
235/55R17	99	S	9.0	7 1/2J
245/45R18	96	S	9.0	8J

## LY969

- All season tread designa.
- Five pitches design with best pattern permutation.
- Ribs pattern in central tread and coordinated tread blocks on both sides.
- Optimized sidewall outline design.

Size	LI	SS	TD(mm)	Standard Rim
215/65R16	98	Q	9.0	6 1/2J
235/70R16	106	Q	9.0	7J
215/55R18	95	T	9.0	7J
235/50R18	97	T	9.0	7 1/2J
235/55R18	100	Q	9.0	7 1/2J
235/60R18	103	T	9.0	7J
215/60R17	96	T	9.0	6 1/2J
225/60R17	99	T	9.0	6 1/2J
225/65R17	102	Q	9.0	6 1/2J
265/65R17	112	Q	9.0	8J



# SUV



## CONQUEROR C5 M/T



- Improve grip and traction on muddy and sandstone roads.
- Guarantee a safe and smooth drive.
- Greatly protect the tire from external puncture or injury.
- Ensure the tire maintain stiffness under great power.

Size	LI	SS	TD(mm)	Standard Rim
31X10.50R15LT	109	Q	14.0	8.5J
32X11.50R15LT	113	Q	15.5	9J
33X12.50R15LT	108	Q	15.5	10J
LT215/75R15	100/97	Q	12.5	6J
LT235/75R15	104/101	Q	12.5	6.5J
LT305/70R16	124/121	P	15.5	9J
LT225/75R16	115/112	N	12.5	6J
LT245/75R16	120/116	N	15.5	7J
LT265/75R16	123/120	Q	15.5	7.5J
LT285/75R16	123/120	N	15.5	7.5J
LT285/75R16	126/123	Q	15.5	8J
LT285/75R16	122/119	N	15.5	8J
LT315/75R16	127/124	Q	15.5	8.5J
LT215/85R16	115/112	Q	12.5	6J
LT235/85R16	120/116	Q	15.5	6.5J
33X12.50R17LT	120	Q	15.5	10J
35X12.50R17LT	125	P	15.5	10J
37X13.50R17LT	121	P	15.5	11J
LT285/70R17	121/118	Q	15.5	8.5J
LT295/70R17	121/118	P	15.5	8.5J
LT295/70R18	129/126	Q	15.5	8.5J
33X12.50R18LT	118	Q	15.5	10J
35X12.50R18LT	123	Q	15.5	10J
37X13.50R18LT	124	P	15.5	11J
255/55R19	111XL	R	15.5	8J
33X12.50R20LT	114	Q	15.5	10J
35X12.50R20LT	121	Q	15.5	10J
37X13.50R20LT	127	Q	15.5	11J
35X15.50R20LT	121	Q	15.5	10J
LT285/55R20	122/119	Q	15.5	8.5J
LT295/60R20	126/123	Q	15.5	8.5J
LT295/65R20	129/126	Q	15.5	9J
LT325/50R22	122	Q	15.5	10J
37X13.50R22LT	123	Q	15.5	11J
285/50R22	121/118	R	15.5	9J

## TERRA XPLORER C1 A/T



- All-terrain four-season tire.
- Effectively prevent stone retention and strengthen stone ejection performance.
- Effectively deliver grips on wet road conditions and enhance driving traction.
- Deliver a longer life of the tire.

Size	LI	SS	TD(mm)	Standard Rim
235/75R15	109XL	S	10.0	6.5J
31X10.50R15LT	109	S	12.5	8.5J
235/70R16	106	T	10.0	7J
245/70R16	107	T	10.0	7J
265/70R16	112	T	10.0	8J
LT225/75R16	115/112	Q	12.5	6J
LT245/75R16	120/116	Q	12.5	7J
LT235/85R16	120/116	Q	12.5	6.5J
235/65R17	104	T	10.0	7J
245/65R17	107	S	10.0	7J
265/70R17	115	S	10.0	8J
LT265/70R17	121/118	R	12.5	8J

## TERRA XPLORER C2 A/T



- All-terrain four season tire.
- Effectively prevent stone retention and strengthen stone ejection performance.
- Effectively deliver grips on wet road conditions and enhance driving traction.
- Deliver a longer life of the tire.

Size	LI	SS	TD(mm)	Standard Rim
215/65R16	98	T	9.0	6 1/2J
225/70R16	103	T	9.0	6 1/2J
265/70R16	112	T	9.5	8J
LT285/75R16	123/120	Q	12.5	7.5J
LT285/75R16	126/123	Q	12.5	8J
215/65R17	99	T	9.0	6 1/2J
265/65R17	112	T	9.5	8J
265/70R17	115	S	9.5	8J
285/70R17	117	S	8.5	8.5J
LT285/70R17	121/118	Q	12.5	8.5J
LT295/70R17	121/118	Q	12.5	8.5J
LT305/70R17	121/118	R	12.5	9J
255/60R18	112XL	T	10.0	7 1/2J
285/60R18	110	T	10.0	8J
275/65R18	116	T	10.0	8J
LT285/60R18	122/119	Q	12.5	8.5J
LT325/60R18	124/121	Q	12.5	9.5
285/60R18	120XL	S	9.0	8.5J
305/60R18	120	S	9.0	9J
LT285/65R18	125/122	R	12.5	8.5J
LT325/65R18	127/124	Q	12.5	9.5J
LT275/70R18	125/122	Q	12.5	8J
LT295/70R18	129/126	Q	12.5	8.5J
265/50R20	111XL	S	9.0	8.5J
305/50R20	120XL	S	9.0	9.5J
275/55R20	117XL	S	9.0	8.5J
285/55R20	119XL	S	9.0	9J
LT305/55R20	121/118	S	12.5	9.5J
295/60R20	116	S	12.5	/
LT325/60R20	126/123	Q	12.5	9.5J
LT325/50R22	122	R	12.5	10J
LT285/55R22	124/121	R	12.5	9J

## ULTRA SPORTLINE C7



- Possess a strong visual impact.
- Increase the contact area with road surface, and enhance braking performance in any road conditions.
- Ensure high-speed handling and stability in straight lines and bends.
- Self-clean the slush in the grooves

Size	LI	SS	TD(mm)	Standard Rim
255/55R19	111XL	V	9.0	8J
275/40ZR20	106XL	W	9.0	9 1/2J
275/45R20	110XL	V	9.0	9J
295/45ZR20	114XL	W	8.2	10J
265/50R20	111XL	V	9.0	8 1/2J
285/50R20	116XL	V	8.2	9J
275/55R20	117XL	V	9.0	8 1/2J
275/60R20	119XL	H	9.0	8J
295/30ZR22	103XL	W	9.0	9.5J
265/35R22	102XL	V	9.0	11J
285/35ZR22	106XL	W	9.0	10J
265/40R22	106XL	V	9.0	9.5J
285/40R22	110XL	V	9.0	10J
305/40R22	114XL	V	9.0	10.5J
275/25ZR24	96XL	W	9.0	11J
295/35ZR24	110XL	W	9.0	10.5J
305/35ZR24	112XL	W	9.0	10J

## LY788



- Improve handling performance and deliver a smooth driving on wet and dry road conditions.
- Improve grip performance, deliver quick heat dissipation at high speed driving thus help to improve safety performance.
- Increase grip performance on muddy road conditions and ensure the passing ability under poor road conditions.
- Reduce tire noise when driving at high speed.

Size	LI	SS	TD(mm)	Standard Rim
P215/75R15	100	T	8.5	6J
P235/75R15	105	T	8.5	6 1/2J
31*10 50R15LT	109	Q	10.0	8 1/2J
P255/65R16	106	T	8.5	7 1/2J
P215/70R16	99	T	8.5	6 1/2J
P225/70R16	101	T	8.5	6 1/2J
P235/70R16	107XL	T	8.5	7J
P235/70R16	104	T	8.5	7J
P245/70R16	106	T	8.5	7J
P255/70R16	109	T	8.5	7 1/2J
P265/70R16	111	T	8.5	8J
LT225/75R16	115/112	Q	10.0	6J
LT245/75R16	120/116	Q	10.0	7J
LT265/75R16	123/120	Q	10.0	7 1/2J
P225/75R16	104	T	8.5	6J
P235/75R16	109XL	T	8.5	6 1/2J
LT215/85R16	115/112	Q	10.0	6J
LT235/85R16	120/116	Q	10.0	6 1/2J
P235/60R17	100	T	8.5	7J
P225/65R17	102	T	8.5	6 1/2J
P235/65R17	103	T	8.5	7J
P245/65R17	105	T	8.5	7J
P265/65R17	110	T	8.5	8J
LT245/70R17	119/116	Q	10.0	7J
LT265/70R17	121/118	Q	10.0	8J
P265/70R17	113	T	8.5	8J
LT245/75R17	121/118	Q	10.0	7J
LT235/80R17	120/117	Q	10.0	6 1/2J
P235/60R18	102	T	8.5	7J
P235/65R18	104	T	8.5	7J

## TOPOWER 87 HT



- "A" design for central groove enhance the ability of drainage and traction on wet road.
- Steel hook shaped tread blocks and 3D high density zigzag steel sheets design enhance strength of tyre block.
- Double "Z" block design prevent sideslip and enhance traction performance on snow road.

Size	LI	SS	TD(mm)	Standard Rim
215/75R15	100	H	8.7	6J
225/75R15	102	H	8.7	6J
235/75R15	105	H	9.6	6 1/2J
265/70R15	112	H	9.3	8J
215/65R16	102 XL	H	8.7	6 1/2J
225/75R16	104	T	8.7	6J
235/60R16	100	H	9.3	7J
235/70R16	106	H	9.3	7J
255/70R16	111	H	9.3	7 1/2J
225/70R16	103	H	9.3	6 1/2J
215/70R16	100	H	8.7	6 1/2J
245/70R16	111 XL	H	9.3	7J
265/70R16	112	H	9.3	8J
265/75R16	116	H	9.3	7 1/2J
235/65R17	108 XL	H	9.3	7J
265/65R17	112	H	9.3	8J
215/60R17	100 XL	H	8.7	6 1/2J
215/65R17	99	V	8.7	6 1/2J
235/60R17	102	H	9.3	7J
265/70R17	115	H	9.3	8J
245/65R17	111 XL	H	9.3	7J
235/70R17	107	H	9.3	7J
235/60R18	107 XL	H	9.3	7J
265/60R18	114	H	9.3	8J
245/60R18	105	H	9.3	7J
255/60R18	112 XL	H	9.3	7 1/2J
275/65R18	116	H	9.3	8J
255/55R19	111 XL	V	9.3	8J





## COMMERCIAL LTR



## COMMERCIAL LTR-WSW

### LY366

- Greatly improve tire's grip performance, increase off-road performance, and enhance vehicle's passage capacity in any extreme conditions.
- Improve drainage, self-cleaning and safety performance.
- Improve handling performance and ensure a safe driving.
- Possess a good function of stone removing.



Size	LI	SS	TD(mm)	Standard Rim
185R14C	102/100	Q	9.0	5 1/2J
195R14C	106/104	Q	9.0	5 1/2J
205R14C	109/107	Q	9.0	6J
195/70R15C	104/102	Q	9.0	6J
225/70R15C	112/110	Q	9.0	6 1/2J
195R15C	106/104	Q	9.0	5 1/2J
195/65R16C	104/102	Q	9.0	6J
205/65R16C	107/105	R	9.0	6J
185/75R16C	104/102	Q	9.0	5J
195/75R16C	107/105	Q	9.0	5 1/2J
205/75R16C	110/108	Q	9.0	5 1/2J
215/75R16C	116/114	R	9.0	6J

## COMMERCIAL LTR-WSW

### LY288

- Effectively reduce tire noise.
- Deliver a good stability and improve grip performance when cornering.
- Provide good drainage and handling performance on wet road conditions.
- Provide excellent stone removing performance.



Size	LI	SS	TD(mm)	Standard Rim
155/70R12LT	104/102	N	7.5	4.50B
155R12LT	83/81	S	7.5	4.50B
155R12LT	88/86	S	7.5	4.50B
155R12C	83/81	S	7.5	4.50B
155R12C	88/86	S	7.5	4.50B
165/70R13	79	S	7.5	5.00B
165/70R13LT	88/86	N	7.5	5.00B
155R13LT	90/88	N	7.5	4.50B
165R13LT	94/93	Q	8.0	4.50B
175R13LT	97/95	Q	8.0	5.00B
165/70R14	81	S	7.5	5J
175/70R14LT	95/93	S	7.5	5J
175R14LT	99/97	Q	8.0	5J

## COMMERCIAL LTR-WSW

### LY399

- Greatly reduce tire noise and improve driving comfort, enjoying a quiet and comfortable effect that same series tires cannot bring.
- Improve grip performance without reducing tread. blocks' rigidity, shorten braking distance, and improve driving safety.
- Provide excellent driving stability, and assure a smooth and comfortable ride.
- Beautiful and dignified, suitable for car modification.



Size	LI	SS	TD(mm)	Standard Rim
175/65R14C	90/88	R	8.5	5J
165/70R14C	89/87	R	8.5	5J
185R14C(WSW)	102/100	Q	9.0	5 1/2J
185R14C(BSW)	102/100	Q	9.0	5 1/2J
195R14C(WSW)	106/104	Q	9.0	5 1/2J
195R14C(BSW)	106/104	Q	9.0	5 1/2J
205R14C	109/107	R	8.5	6J
215R14C	112/110	R	9.0	6J
195/70R15C	104/102	Q	9.0	6J
215/70R15C(BSW)	104/101	Q	9.0	6 1/2J
195R15C(WSW)	106/104	Q	9.0	5 1/2J
195R15C(BSW)	106/104	Q	9.0	5 1/2J
205/65R16C	107/105	Q	9.0	6J
215/65R16C	109/107	R	9.0	6 1/2J
225/65R16C	112/110	R	9.0	6 1/2J
235/65R16C	115/113	R	9.0	7J
175/75R16C	101/99	R	9.0	5J
195/75R16C	107/105	Q	9.0	5 1/2J



---

**YUELONG TIRE GROUP**

Web: [www.yuelonggroup.net](http://www.yuelonggroup.net)

Email: [info@yuelonggroup.net](mailto:info@yuelonggroup.net)

---

**DISTRIBUTED BY**